2021 Missouri CHIP Clinical Criteria

Prior Authorization of Treatment and Emergency Treatment

4/22/21 revision

When submitting for prior authorization / retrospective review of these procedures, please note the documentation requirements when sending in the information to UHC Dental.

UHC Dental criteria utilized for medical necessity determination were developed from information collected from American Dental Association's Code Manuals, clinical articles and guidelines, as well as dental schools, practicing dentists, insurance companies, other dental related organizations, and local state or health plan requirements. The criteria UHC Dental reviewers will look for in order to approve the request is listed below. Should the procedure need to be initiated under an emergency condition to relieve pain and suffering, you are to provide treatment to alleviate the patient's condition. However, to receive reimbursement for the treatment, UHC Dental will require the same criteria / documentation be provided (with the claim for payment) and the same criteria be met to receive payment for the treatment.

When reviewing requests for services the following guidelines will be used: Treatment will not be routinely approved when functional replacement with less costly restorative materials, including prosthetic replacement, is possible. Dental work for cosmetic reasons or because of the personal preference of the member or provider is not within the scope of the Medicaid program.

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Sialography	D0310	Panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation describes medical necessity	Prior
Crowns	D2710, D2720, D2721, D2722, D2740, D2750, D2751, D2752, D2780, D2781, D2782, D2783, D2790, D2791, D2792	Current x-rays Narrative of necessity if decay not evident on films	Current pre-op x-rays Narrative of necessity if decay not evident on films	 Anterior - 50% incisal edge / 4+ surfaces involved Bicuspid - 1 cusp / 3+ surfaces involved Molar - 2 cusps / 4+ surfaces involved Minimum 50% bone support No periodontal furcation No subcrestal caries Clinically acceptable RCT (if performed) 	Prior
Provisional Crown	D2799	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	 Documentation describes medical necessity and provisional crown need for a minimum of 6 months. Not to be used as a temporary crown for a routine prosthetic restoration 	Prior
Core Buildup	D2950	Current x-rays	Current pre-op x-rays	Significant loss of coronal tooth structure due to caries or trauma in which insufficient tooth structure remains to adequately retain an indirect restoration.	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Post And Core In Addition To Crown	D2952, D2953, D2954	Current x-rays Narrative of necessity Post RCT PA	Current pre-op x-rays Narrative of necessity For any tooth with endodontic procedure planned or performed, a periapical x-ray of the final endodontic procedure is required	 For teeth with significant loss of coronal tooth structure in endodontically treated teeth in which insufficient tooth structure remains to adequately retain an indirect restoration For Posts: when there is inadequate remaining tooth structure to support a core 	Prior
abial Veneer	D2960, D2961, D2962	Current x-rays	Current pre-op x-rays	 For coverage of enamel only fractures that cannot be adequately repaired with a direct restoration (i.e., CDT codes D2330-D2335) Teeth with enamel defects including but not limited to enamel hypoplasia, severe decalcification, enamel hypocalcification and fluorosis 	Prior
Additional Procedures To Construct New Crown Under Existing Partial	D2971	Panoramic or FMX Narrative of necessity	Panoramic or full mouth series. Narrative of necessity	Documentation supports procedure, missing teeth on at least one side of requested crown	Prior
Repair of Crown / Inlay / Onlay	D2980, D2981, D2982	Current x-rays Narrative of necessity/report of procedure	Current pre-op x-rays Narrative of necessity/report of procedure	Documentation supports reason for why repair is necessary	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Endodontic	D3310, D3320,	Current x-rays	Current pre-op x-rays	Covered in the following scenarios:	Prior
Therapy	D3330			 A restorable mature, completely developed permanent or primary tooth with irreversible pulpitis, necrotic pulp or frank vital pulpal exposure 	
				Teeth with radiographic periapical pathology	
				Primary teeth without a permanent successor	
				Trauma	
				When needed for prosthetic rehabilitation	
				Not covered in the following situations:	
				Teeth with a poor long-term prognosis	
				 Teeth with inadequate bone support or advanced or untreated periodontal disease 	
				Teeth with incompletely formed root apices	
Treatment Of Root Canal Obstruction; Non-Surgical Access	D3331	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	 When there is an obstruction of the root canal system, (biological, iatrogenic ledges or post removal) and endodontic retreatment is needed 	Prior
Incomplete Endodontic Therapy	D3332	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	 The inability to complete endodontic therapy may occur if, during treatment, it becomes apparent that access is not possible, the tooth will not be able to be restored, or the tooth fractures 	Prior
Internal Root Repair Of Perforation Defects	D3333	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	 There is a root perforation caused by pathology such as resorption or decay A communication between the pulp space and external root surface as a result of internal root 	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Retreatment Of Previous Root	D3346, D3347, D3348	Current x-rays		Tooth is sensitive to pressure and percussion or other subjective symptoms	Prior
Canal Therapy				 Placement of a post has the potential to compromise the existing obturation or apical seal of the canal system 	
				Minimum 50% bone support	
				No periodontal furcation	
				No subcrestal caries	
				Evidence of apical pathology/fistula	
				Pain from percussion / temp	
Apexification /	D3351, D3352,	Current x-rays	Current pre-op x-rays	Covered in the following scenarios:	Prior
Recalcification	D3353	Narrative of necessity	Narrative of necessity	Incomplete apical closure in a permanent tooth root	
				 External root resorption or when the possibility of external root resorption exists 	
				Necrotic pulp, irreversible pulpitis or periapical lesion	
				For prevention or arrest of resorption	
				 Perforations or root fractures that do not communicate with oral cavity 	
				Not covered in the following situations:	
				A tooth with a completely closed apex	

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Apicoectomy	D3410, D3421,	Current x-rays	Current pre-op x-rays	Covered in the following scenarios:	Prior
	D3425, D3426	Narrative of necessity	Narrative of necessity	Failed retreatment of endodontic therapy	
				 When the apex of tooth cannot be accessed due to calcification or another anomaly 	
				When a biopsy of periradicular tissue is Necessary	
				 Where visualization of the periradicular tissues and tooth root is required when perforation or root fracture is suspected 	
				 Further diagnosis when post endodontic therapy symptoms persist 	
				 A marked over extension of obturating materials interfering with healing 	
				Not covered in the following situations:	
				 Unusual bony or root configurations resulting in lack of surgical access 	
				 The possible involvement of neurovascular structures 	
				Teeth with a hopeless prognosis	
Retrograde Filling - Per Root	D3430	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	Periradicular pathosis and a blockage of the root canal system that could not be obturated by nonsurgical root canal treatment	Prior
				 Persistent Periradicular pathosis resulting from an inadequate apical seal that cannot be corrected non-surgically 	
				Root perforations	
				Resorptive defects	

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Root Amputation - Per Root	D3450	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	 Class III Furcation involvement Untreatable bony defect (of one root) Root fracture Root caries Root resorption Persistent sinus tract or recurrent apical pathology When there is greater than 75% bone supporting remaining root(s) The tooth has had successful endodontic treatment 	Prior
Gingivectomy Or Gingivoplasty	D4210, D4211, D4212	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 Hyperplasia or hypertrophy from drug therapy, hormonal disturbances or congenital defects Generalized 5 mm or more pocketing indicated on the periodontal charting 	Prior
Anatomical Crown Exposure	D4230, D4231	Current x-rays	Current pre-op x-rays	 To facilitate the restoration of subgingival caries To allow proper contour of restoration To allow management of a subgingivally fractured tooth 	Prior
Flap Procedures	D4240, D4241, D4245	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 The presence of moderate to deep probing depths Moderate/severe gingival enlargement or extensive areas of overgrowth Loss of attachment The need for increased access to root surface and/or alveolar bone when previous non-surgical attempts have been unsuccessful The diagnosis of a cracked tooth, fractured root or external root resorption when this cannot be accomplished by non-invasive methods To preserve keratinized tissue in conjunction with osseous surgery 	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Clinical Crown Lengthening - Hard Tissue	D4249	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 In an otherwise periodontally healthy area to allow a restorative procedure on a tooth with little to no crown exposure To allow preservation of the biological width for restorative procedures 	Prior
Osseous Surgery	D4260, D4261	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 Patients with a diagnosis of moderate to advanced or Refractory periodontal disease When less invasive therapy (i.e., non-surgical periodontal therapy, Flap procedures) has failed to eliminate disease 	Prior
Bone Replacement Graft - First Site In Quadrant	D4263, D4264	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 Infrabony/Intrabony vertical defects Class II Furcation involvements 	Prior
Biologic Materials To Aid In Soft And Osseous Tissue Regeneration	D4265	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	Documentation supports need to aid in the regeneration of periodontal tissues	Prior
Guided Tissue Generation	D4266, D4267	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 Intrabony/infrabony vertical defects Class II Furcation involvements To enhance periodontal tissue regeneration and healing for mucogingival defects in conjunction with mucogingival surgeries 	Prior
Surgical Revision Procedure, Per Tooth	D4268	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	May be indicated to correct an abnormal healing response that interferes with the therapeutic goals of the original regenerative surgical procedure	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Tissue Graft Procedure	D4270, D4273, D4275, D4276, D4277, D4278	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 Areas with less than 2 mm of attached gingiva Unresolved sensitivity in areas of Recession Progressive Recession or chronic inflammation Teeth with subgingival restorations where there is little or no attached gingiva to improve plaque control 	Prior
Distal Or Proximal Wedge Procedure	D4274	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 No history of D4260/D4261 within 12 months More than 50% bone to remain after procedure To expose coronal fracture or caries but not on same day as restorative procedure 	Prior
Provisional Splinting - Intracoronal	D4320, D4321	Current x-rays Complete 6 point periodontal charting Narrative of necessity	Current pre-op x-rays Complete 6 point periodontal charting Narrative of necessity	 Documentation indicates periodontal mobility Type 3 or 4 Documentation shows treatment plan of planned or completed periodontal therapy 	Prior
Localized Delivery Of Antimicrobial Agents Via A Controlled Release Vehicle	D4381	Panoramic or FMX Perio charting Previous scaling and root planing dates	Panoramic x-ray or full series Periodontal charting Previous scaling and root planing dates	Periodontal disease with probing depths greater than or equal to 5 millimeters with active disease (bleeding upon probing, exudate, and inflammation) present.	Prior
Periodontal Maintenance	D4910	Current x-rays Complete 6 point periodontal charting	Current pre-op x-rays Complete 6 point periodontal charting	Covered in the following scenarios: To maintain the results of surgical and non-surgical periodontal treatment As an extension of active periodontal therapy at selected intervals Not covered in the following scenarios: If no history of scaling and root planing (SRP) or surgical procedures	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Complete Dentures	D5110, D5120, D5130, D5140	D5110, D5120, Panoramic x-ray or FMX Panoramic x-ray	Panoramic x-ray or full mouth series	Remaining teeth do not have adequate bone support or are not restorable	Prior
				 Existing denture greater than 5 years old and unserviceable (narrative must explain why any existing denture is not serviceable or cannot be relined or rebased) 	
Partial Dentures	D5211, D5212,	Panoramic x-ray or FMX	Panoramic x-ray or full	Replacing one or more anterior teeth	Prior
	D5213, D5214		mouth series	 Replacing three or more posterior teeth (excluding 3rd molars) 	
				 Existing partial denture greater than 5 years old and unserviceable 	
				 Abutment teeth have greater than 50% bone support and are restorable 	
Repair Cast Partial	D5621, D5622	Narrative of necessity	Narrative of necessity	Dentures greater than 6 months old	Prior
Framework			Documentation describes medical necessity		
interim Partial Denture	D5820, D5821	Panoramic x-ray or full mouth series	Panoramic x-ray or full mouth series	While tissue is healing following extractions	Prior
		Narrative of necessity	Narrative of necessity	 Maintenance of a space for future permanent treatment such as an implant, bridge, or definitive fixed prosthesis 	
				To condition teeth and ridge tissue for optimum support of a definitive removable partial denture	
				To maintain established jaw relation until all restorative treatment has been completed and a definitive partial denture can be constructed	
Precision Attachment, By Report	D5862	Panoramic x-ray or FMX Narrative of necessity	Panoramic x-ray or full mouth series	Documentation supports why attachment will significantly enhance function	Prior
			Narrative of necessity		
Overdentures	D5863, D5864, D5865, D5866	Panoramic x-ray or FMX Narrative of necessity	Panoramic x-ray or full mouth series Narrative of necessity	 To preserve the integrity of the edentulous ridge When the teeth available as retainers have a good long-term prognosis 	Prior
Maxillofacial Prosthetics	D5913 - D5996	Panoramic x-ray or FMX Narrative of necessity	Panoramic x-ray or full mouth series Narrative of necessity	Documentation describes accident, facial trauma, disease, facial reconstruction, or other medical necessity need	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Surgical Placement Of Implant Body	D6010, D6040, D6050	Panoramic x-ray or FMX	Pre-op panoramic x-ray or full mouth series	Documentation shows healthy bone and periodontium	Prior
Implant Related Services	D6082, D6083, D6084, D6086, D6087, D6088, D6097, D6098, D6099, D6120, D6121, D6122, D6123	At least 12 weeks post- operative x-rays of osseointegrated implant.	X-rays of implant in place and osseointegrated to determine benefits for implant abutments and implant crowns. Films must be at least 12 weeks post-operative to evaluate osseointegration.	 Documentation shows fully integrated surgical implant with good crown / root ratio Healthy bone and periodontium surrounding surgical implant 	
Repair or Removal of an Implant	D6090, D6095, D6100	Current x-rays of area Narrative of necessity	Current x-rays of area Narrative of necessity	Documentation describes medical necessity for repair or surgical removal of an implant	Prior
Bridges	D6210, D6211, D6212, D6240, D6241, D6242, D6243, D6245, D6250, D6251, D6252, D6545, D6548, D6600, D6601, D6602, D6603, D6604, D6605, D6606, D6607, D6608, D6609, D6610, D6611, D6612, D6613, D6614, D6615, D6720, D6721, D6722, D6740, D6750, D6751, D6752, D6753, D6780, D6781, D6782, D6783, D6790, D6791, D6792	Panoramic x-ray or FMX Dental charting indicating missing teeth	Current pre-op panoramic x-ray or full mouth series Dental charting indicating missing teeth	 Replacement of missing permanent teeth in which the Retainer/Abutment teeth have a favorable long-term prognosis Replacement of one to two missing teeth in a Tooth Bounded Space Minimum 50% bone support on abutments No periodontal furcation on abutments No sub-crestal caries on abutments Clinically acceptable RCT on abutments Replacement of existing fixed partial denture: One of the abutment crowns is defective on existing bridge One of the abutment crowns has recurrent decay on existing bridge One of the abutment crowns needs root canal on existing bridge 	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Connector Bar / Stress Breaker / Precision Attachment	D6920, D6940, D6950	Current x-rays of area Narrative of necessity	Current x-rays of area Narrative of necessity	Documentation supports why this will significantly enhance function	Prior
Bridge Repair	D6980	Narrative of necessity	Narrative of necessity	Documentation supports medical necessity and the appliance to be repaired is functional and has a favorable long-term prognosis.	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Removal Of Impacted Tooth				 Pain Pericoronitis Carious lesion Facilitation of the management of or limitation of progression of periodontal disease Non-treatable pulpal or periapical lesion Acute or chronic infection Ectopic position Elective therapeutic removal Abnormalities of tooth size or shape precluding normal function Facilitation of orthodontic tooth movement and promotion of dental stability Tooth impeding the normal eruption of an adjacent tooth Tooth in line of fracture Impacted tooth Pathology associated with tooth Pathology associated with impacted tooth (odontogenic cysts, neoplasms) Tooth involved in tumor resection Preventive or prophylactic removal, when indicated, for patients with medical or surgical conditions or treatments Clinical findings of fractured tooth or teeth Internal or external resorption of tooth or adjacent teeth Anatomical position causing potential damage to 	Prior
				 adjacent teeth Patient's informed refusal of nonsurgical treatment options 	

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Removal Of Residual Tooth	D7250	Current panoramic x-ray	Current panoramic x-ray	Covered in the following scenarios:	Prior
Roots		Narrative of necessity	Narrative of necessity	 When tooth roots or fragments of tooth roots remain in the bone following a previous incomplete tooth extraction 	
				Not covered in the Following Scenarios:	
				 Tooth decay resulting in the destruction of the dentition to the extent that only root tips remain (should be considered D7140 or D7210) 	
Coronectomy - Intentional Partial Tooth Removal	D7251	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	 When clinical criteria for extraction of impacted teeth is met When the removal of complete tooth would likely 	Prior
O a salad Fields	D7000 D7001			result in damage to the neurovascular bundle	D.
Oroantral Fistula Closure / Sinus	D7260, D7261	Current panoramic x-ray	Current panoramic x-ray	 Closure is needed due to extraction, oral infection, or sinus infection 	Prior
Perforation		Narrative of necessity	Narrative of necessity		
Exposure of an Unerupted Tooth	D7280	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation supports this is needed for a normally developing permanent tooth that is unable to erupt into a functional position	Prior
Placement Of Device To Facilitate Eruption Of Impacted Tooth	D7283	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation supports this is needed following the surgical exposure of an un-erupted tooth to aid in its eruption	Prior
Exfoliative Cytological Sample Collection	D7287	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation supports medical necessity	Prior
Surgical Repositioning Of	D7290	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	The treatment of displacement injuries to permanent teeth	Prior
Teeth				 Extrusion of teeth with crown/root fractures to prepare for restoration of permanent teeth 	
Transseptal Fiberotomy/Supra Crestal Fiberotomy, By Report	D7291	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Indicated to reduce rotational relapse of individual teeth following orthodontic treatment	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Harvest Of Bone For Use In Autogenous Grafting Procedure	D7295	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation indicates harvest of bone reported in addition to autogenous grafting procedure that do not include harvest of bone	Prior
Corticotomy	D7296, D7297	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation describes why osteogenic orthodontics is necessary	Prior
Alveoloplasty In Conjunction With Extractions	D7310, D7320	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	 For bone re-contouring and smoothing as part of the tooth extraction process For bone re-contouring and smoothing as a standalone procedure prior to fixed or removable prosthetic construction To provide stability for implant placement For de-bulking procedures for pathologic conditions of the bone 	Prior
Vestibuloplasty - Ridge Extension	D7340, D7350	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	 Ridge extension, or lowering or altering submucous displacing attachments prior to prosthetic construction To complement and complete osseous procedure when reconstructing edentulous bone To correct inadequate or inappropriate soft tissue drape where a resection has been previously performed and prosthetic restoration requires improvement For overall stability of a dental implant and the maintenance of bone health around an implant 	Prior
Excision of Lesion / Tumor	D7410 - D7465	Narrative of necessity Pathology report	Narrative of necessity Pathology report	 Copy of pathology report Documentation explains necessity for excision of lesion/tumor/cyst 	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Excision of Bone Tissue	D7471, D7472, D7472, D7485, D7490	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	When the presence of tori/exostosis interferes with the fit of a dental prosthesis and it cannot be adapted successfully	Prior
				 When causing soft tissue trauma with existing removable appliances 	
				 For unusually large tori/exostosis that are prone to recurrent traumatic injury 	
				When there is a functional disturbance, including, but not limited to normal tongue movement, mastication, swallowing and speech	
Surgical Incisions	D7530, D7540, D7550, D7560	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation describes non-vital tooth, root fracture or foreign body	Prior
			,	 Documentation describes periapical or periodontal abscess 	
Fractures – Simple / Compound	D7620 - D7780	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation describes accident, operative report, and medical necessity	Prior
Reduction of Dislocation and	D7810, D7820, D7830 - D7880	Current x-rays	Current x-rays	Covered in the following Scenarios:	Prior
Management of TMJ Dysfunctions	27000 27000	Narrative of necessity	Narrative of necessity	 Narrative, x-rays, or photos support medical necessity for procedure 	
•				 Documentation supports history of TMJ pain / treatment efforts 	
				Not Covered in the following scenarios:	
				For bruxism, grinding or other occlusal factors	
Suture Of Recent Small Wounds Up	D7910, D7911, D7912	Current x-rays	Current pre-op x-rays	Documentation describes accident	Prior
To 5 Cm	01912	Narrative of necessity	Narrative of necessity	Not for tooth extraction or to close surgical incision	
Skin Graft (Identify Defect Covered, Location And Type	D7920	Narrative of necessity	Narrative of necessity	Documentation describes location and type of graft	Prior
Of Graft)					
Osteoplasty	D7940, D7941, D7943, D7944, D7945	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Correction of congenital, developmental, or acquired traumatic or surgical deformity	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Other Repair Procedures (Oral & Maxillofacial Surgery)	D7946, D7947, D7948, D7949, D7950, D7955, D7991, D7995, D7996, D7998	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	Narrative, x-rays, or photos support medical necessity for procedure	Prior
Bone Replacement Graft for Ridge Preservation	D7953	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	 To preserve the alveolar ridge needed to support a dental prosthesis. Osseous, osteoperiosteal or cartilage grafting is indicated to augment deficient alveolar bone needed to support a dental prosthesis 	Prior
Frenulectomy / Frenuloplasty	D7961, D7962	Narrative of necessity	Narrative of necessity	 When the position attachment of the frenum is: Causing a diastema, gingival recession, or stripping Interfering with proper oral hygiene Causing a functional disturbance, including, but not limited to mastication, swallowing and speech Causing interference with feeding in newborns Needed prior to the construction of a removable denture replacing teeth in the area of aberrant frenal attachment 	Prior
Excision Of Hyperplastic Tissue / Surgical Reduction of Fibrous Tuberosity	D7970, D7972	Narrative of necessity	Narrative of necessity	When the presence of interferes with the fit of a partial or complete denture	Prior
Excision of Pericoronal Gingiva	D7971	Current x-rays Narrative of necessity	Current pre-op x-rays Narrative of necessity	 For recurrent infections of the operculum around impacted or partially erupted lower third molars When an erupted maxillary third molar is traumatizing soft tissue around opposing tooth When the presence interferes with the fit of a partial or complete denture 	Prior
Salivary Gland and Duct Procedures	D7980, D7981, D7982, D7983	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	 Procedures include the removal of sialoliths, surgical excision of portions of, or the entire gland, repair of salivary fistulas and defects of salivary ducts, and may be completed intraorally or extra- orally. 	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Appliance Removal (Not By Dentist Who Placed Appliance)	D7997	Current panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation describes removal not by dentist who placed appliance	Prior
Interceptive Orthodontic Treatment	D8050, D8060	Pano Ceph Photos Treatment plan	Current panoramic x-ray Cephalometric x-ray Photos Treatment plan	 Palatal expansion Correction of skeletal disharmonies of the primary/transitional dentition Correction of anterior crossbite Severe cuspid crowding/correction of inadequate space for cuspid eruption 	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Limited and Comprehensive Orthodontic Treatment	D8010, D8020, D8030, D8040, D8070, D8080, D8090	Pano Ceph Photos Treatment plan HLD Index	Current panoramic x-ray Cephalometric x-ray Photos Treatment plan HDL Scoring Index	 Full permanent dentition. Exceptions to having a full permanent dentition are as follows: Participant has a primary tooth retained due to ectopic or missing permanent tooth; or Participant may have primary teeth present if they have cleft palate, severe traumatic deviations, or an impacted maxillary central incisor; or Participant may have primary teeth if they are thirteen (13) years of age or older The participant meets all the criteria above and one (1) of the criteria from the HLD score index below (see Appendix "X" for this score sheet): Has a cleft palate Has a deep impinging overbite when the lower incisors are damaging the soft tissue of the palate (lower incisor contact only on the palate is not sufficient) Has a cross-bite of individual anterior teeth when damage of soft tissue is present Has severe traumatic deviations Has an over-jet greater than nine-millimeter (9mm) or reverse over-jet of greater than three and one-half millimeters (3.5mm) Has an impacted maxillary central incisor; or Scores 28 points or greater on the scored items of the HLD Index. 	Prior
Appliance Therapy	D8210, D8220	Pano Ceph Photos Treatment Plan	Current panoramic x-ray Cephalometric x-ray Photos Treatment plan	Documentation of thumb sucking or tongue thrusting habit	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Orthodontic Retention (Removal Of Appliances, Place Retainers)	D8680	Diagnostic quality photos	Diagnostic quality photos	Documentation shows completed case based on original case initiated (limited / comprehensive)	Prior
Unspecified Orthodontic Procedure, By Report	D8999	Panoramic x-ray Narrative of necessity	Current panoramic x-ray Narrative of necessity	Documentation describes medical necessity	Prior
Deep Sedation / General Anesthesia and Intravenous Moderate (Conscious) Sedation	D9222, D9223, D9239, D9243	Narrative of necessity	Narrative of necessity	 Clinical procedures of extensiveness or complexity or situations that require more than a local anesthetic Uncooperative or unmanageable individuals for which other behavior management techniques are inappropriate or inadequate Physical, cognitive, or developmental disabilities Significant underlying medical condition Allergy or sensitivity to Local Anesthesia Lengthy restoration procedures for pediatric members 	Prior
Therapeutic	D9610, D9612			 Individuals with extreme anxiety or fear Severe infection that inhibits local anesthesia Not Covered for the following scenarios: Electively requested by the member 	Prior
Parenteral Drug	55010, 55012	Narrarive of necessity Description of drugs and parenteral administration	Narrarive of necessity Description of drugs and parenteral administration	 May be indicated to enhance healing of surgical procedures or reduce pain and/or risk of infection. Medications include antibiotics, steroids, or anti-inflammatory drugs 	THO
Treatment of Complications (Post-Surgical) - Unusual Circumstances, By Report	D9930	Current x-rays Narrative of necessity / report of procedure	Current pre-op x-rays Narrative of necessity / report of procedure	Documentation describes medical necessity for procedure	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Repair and/or Reline Occlusal Guard	D9942	Narrarive of necessity	Narrarive of necessity	Narrative supports need for repair or reline	
Occlusal Guard	D9944, D9945, D9946	Narrarive of necessity	Narrarive of necessity	 Covered in the following scenarios: Bruxism or clenching either as a nocturnal parasomnia or during waking hours, resulting in excessive wear or fractures of natural teeth or restorations To protect natural teeth when the opposing dentition has the potential to cause enamel wear such as the presence of porcelain or ceramic restorations Not Covered for the following scenarios: For treatment of temporomandibular disorders or myofascial pain disfunction As an appliance intended for orthodontic tooth movement 	Prior
Unspecified Procedures, By Report	D0999, D2999, D3999, D4999, D5999, D6999, D7999	Description of procedure and narrative of medical necessity	Description of procedure and narrative of medical necessity	 Procedure cannot be adequately described by an existing code Documentation supports medical necessity 	Prior

Procedure	Procedure Codes	Documentation (simplified for Skygen)	Required Documentation	Criteria for Approval	Prior or Post
Unspecified Adjunctive Procedure, By Report (Used for treatment done in an ASC/OR	D9999	Narrative of medical necessity Name of hospital/outpatient facility	Narrative of medical necessity, Name of hospital/outpatient facility	Participants unable to cooperate in the conventional dental setting due to age, handicap, or psychological problems. • Children under 36 months of age with severe dental decay • Mentally and physically handicapped participants • Accident participants; and • Dental phobic participants. Covered dental services in an ambulatory surgical center include the following: • Tooth extraction • Wisdom tooth/impacted tooth extraction • Pedodontic restoration. (This may include one (1) or more of the following procedures: complete clinical examination, prophylaxis, fluoride treatment, composite/amalgam restorations, extractions, removal of wisdom/impacted teeth, primary teeth, pulpotomies on primary teeth, root canals on permanent teeth and crowns • Local and general anesthesia	Prior